

# PACKAGING PRODUCTS CATALOGUE

**FLEXIBLE BONEGUARD PACKAGING** PAGE 2


**RIGID PACKAGING** PAGE 5

**MATERIAL SPECIFICATIONS** PAGE 9






# FLEXIBLE BONEGUARD PACKAGING

## LD5045C SHORT SHANK CAP


length 45mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
PP45S SC23100

## LD5055C LONG SHANK CAP


length 55mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
PP55L SC17527



## LD5055HDC SHANK CAP 440


length 55mm  
base dia 50-60mm  
cap end dia 20-25mm  
material LDPE   
S006326

## LD240100C AITCH BONE CAP

length 240mm  
width 100mm  
depth 15mm  
material LDPE   
PP240100


# FLEXIBLE BONEGUARD PACKAGING

## LD280220C SHOULDER TRAY

length 280mm  
width 220mm  
depth 60-80mm  
material LDPE 

PP280/220 SC20651


## LD370170C REFORMED LOIN TRAY

length 380mm  
width 190mm  
depth 35-55mm  
material LDPE 

PP370/170 SC23098




## LD340160C REFORMED SADDLE TRAY

length 340mm  
width 160mm  
depth 30-40mm  
material LDPE 

PP340/160 SC23097

## LD190160C SHORT LOIN TRAY

length 200mm  
width 180mm  
depth 35-65mm  
material LDPE 

PP190/160 SC25580






**PROGRESSIVE**  
PLASTICS

# FLEXIBLE BONEGUARD PACKAGING

## **LD170180C CUTLET TRAY**

length 170mm  
width 180mm  
depth 40-60mm  
material LDPE 

PP170/180 SC23099





**PROGRESSIVE**  
PLASTICS

## RIGID PACKAGING

### **PET21010540C RIGID TRAY**



length 230mm  
width 124mm  
height 38mm  
material APET 

PP59L SC26147


### **PET21010520C RIGID TRAY**

length 230mm  
width 124mm  
height 19mm  
material APET 

PP500




### **PET19010527C RIGID TRAY**

length 215mm  
width 122mm  
height 28mm  
material APET 

PP58 S007258

### **PET17714034C RIGID TRAY**

length 197mm  
width 154mm  
height 33mm  
material APET 


PP67L SC22970




**PROGRESSIVE**  
PLASTICS


## RIGID PACKAGING

### **PET17310416C RIGID TRAY**


length 190mm  
width 122mm  
height 15mm  
material APET   
PP57 SC22969

### **PET15311313C RIGID TRAY**


length 166mm  
width 127mm  
height 15mm  
material APET   
PP56



### **PET15515516C RIGID TRAY**

length 163mm  
width 163mm  
height 19mm  
material APET   
S007272

### **PET2479614C RIGID TRAY**

length 259mm  
width 104mm  
height 15mm  
material APET   
S007265






**PROGRESSIVE**  
PLASTICS



## RIGID PACKAGING

### **PET22016820C RIGID TRAY**

length 220mm  
width 168mm  
height 20mm  
material APET   
9x7 x20mm

### **PET26916820C RIGID TRAY**


length 269mm  
width 168mm  
height 20mm  
material APET   
11x7 x20mm



### **PET26916830C RIGID TRAY**

length 269mm  
width 168mm  
height 30mm  
material APET   
11x7 x30mm

### **PET26916840C RIGID TRAY**


length 269mm  
width 168mm  
height 40mm  
material APET   
11x7 x40mm



**PROGRESSIVE**  
PLASTICS


## RIGID PACKAGING

### **PET26923120C RIGID TRAY**

length 269mm  
width 231mm  
height 20mm  
material APET   
11x9 x20mm

### **PET26923160C RIGID TRAY**

length 269mm  
width 231mm  
height 60mm  
material APET   
11x9 x60mm





# MATERIAL SPECIFICATIONS



## **LDPE** LOW DENSITY POLYETHYLENE

### **FEATURES**

Natural colour

Fully recyclable material

Shapes neatly with the meat avoiding bridging or pockets for purge accumulation occurring on vacuuming

Good burst strength and puncture resistance.

### **TYPICAL USES AND CARE**

For use inside vacuum and shrink bags as a bone protection system

Suitable for chilled and frozen meats

Temperature limits – minus 30°C to plus 100°C

Storage in clean, dry, cool areas out of direct sunlight

Shipped in sealed cartons with plastic bag liners, wrapped on pallets.



## **APET** AMORPHOUS POLYETHYLENE TEREPHALATE

### **FEATURES**

Clear, high gloss with no stress whitening. Available in black and other colours on request.

Fully recyclable material

Low moisture vapour transmission rate

Good barrier properties

High impact durability and rigidity

Exceptional hinge and fold strength

Chemical, oil and grease resistant.

### **TYPICAL USES AND CARE**

For use as a base tray inside vacuum and shrink bags or with an overwrap

Suitable for chilled and frozen meats, smallgoods, seafood, poultry and produce

Temperature limits – minus 35°C to plus 95°C

Storage in clean, cool dry areas

Shipped in sealed cartons with plastic bag liners, wrapped on pallets.



## **BARRIER**

Trays are also available in other plastic film configurations including barrier APET film for Modified Atmosphere Packaging (MAP) and Vacuum Skin Packaging (VSP) applications.

### **COLOURS**

Rigid trays are generally available in clear and black. Other specific colours are available on request.

All products are manufactured to meet EU and US FDA packaging compliance regulations. Details are available on request.



**PROGRESSIVE**  
PLASTICS

03 477 6999 | 31-37 Fryatt St, Dunedin | [www.progressiveplastics.co.nz](http://www.progressiveplastics.co.nz) | [admin@progressiveplastics.co.nz](mailto:admin@progressiveplastics.co.nz)

December 2017